

## **Claims**

1. An appendage that is retrofittable to an office chair for  
converting said office chair into a computer workplace;  
5      said office chair being characterized by comprising a seat  
supported by a central column, having a feet assembly  
attached thereto,  
wherein said appendage comprises a chassis coupled to a  
seat connector and a monitor supporting structure;  
10      said seat connector adapted to facilitating connection of said  
chassis to said central column of said office chair and said  
monitor support structure for supporting a computer monitor  
thereon.
2. The appendage of claim 1 wherein said monitor support  
15      structure comprises a monitor support tray.
3. The appendage of claim 1 wherein said chassis includes at  
least one elongated supporting rail having an arcuate form.
4. The appendage of claim 1 further comprising a means for  
varying the position and angle of said monitor support  
20      structure with respect to said chair.
5. The appendage of claim 1 wherein said chassis comprises a  
pair of tubular guide rails separated from each other by a  
fixed distance along their length.
6. The appendage of claim 4 wherein said means comprises an  
25      attachment for attaching said monitor support structure to  
said chassis, said attachment being attachable to said chassis  
in a range of positions along the length of said chassis,

allowing variation in position of a computer monitor on said monitor support structure with respect to the eyes of a user seated on said chair.

- 5 7. The appendage of claim 4 wherein said means comprises a compression drive for supporting and holding said monitor support structure.
8. The appendage of claim 7 wherein said drive is situated between a bracket affixed to said chassis below said monitor support structure and the bottom surface of said monitor support structure.
- 10 9. The appendage of claim 4 wherein said means comprises two pairs of auxiliary rollers affixed to said monitor support structure, enabling said monitor support structure to slide freely with respect to said chassis.
- 15 10. The appendage of claim 4 wherein said means comprises said seat connector, being attachable to said chassis in a range of positions along length thereof.
11. The appendage of claim 10 wherein said seat connector is adapted to allow variation in viewing of angle and distance of monitor on monitor support structure from the eyes of a user seated on said office chair.
- 20 12. The appendage of claim 4 wherein attached to said chassis there is provided at least one foot pedal for application of a force on said chassis for moving it from a first position to a second position with respect to said office chair.
- 25 13. The appendage of claim 12 further comprising a helical spring configured as a contra to said force, for returning said

chassis from said second position to said first position when  
said force is no longer applied to said at least one foot pedal.

14. The appendage of claim 4, further comprising a first lock for  
locking position of said chassis with respect to said office  
5 chair.

15. The appendage of claim 4, further comprising a second lock  
for locking position of said monitor support structure with  
respect to said chassis.